

Facility Summary in DANIELS County in the City of FLAXVILLE

Location: PRO CO-OP 3
MT HIGHWAY 5 & MAIN ST
FLAXVILLE, MT 59222 DANIELS
Contact: Tanner Trower, (406) 487-2741

Sys Fac ID: 10-01331
Last Inspected On: 8/19/2015
Operating Permit Renewal Date: 9/28/2018

Owners/Operators: Pro Co-op, Owner (406)-487-2741 PO BOX 847
SCOBEY MT 59263
Tanner Trower, UST Class A Operator
Richard Carrier, UST Class B Operator
Kent Cromwell, UST Class B Operator
Tanner Trower, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	24	7/31/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1225			None	None	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Gasoline		8/19/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Deferred	
2,000			TLS-350/Gilbarco EMC , Veeder Root		
5	24	7/31/1991	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1226			None	None	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Gasoline		8/19/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Deferred	
2,000			TLS-350/Gilbarco EMC , Veeder Root		
6	03	2/1/2013	Bare Steel	Fiberglass Reinforced Plastic	High Level Alarm
5408	Yes	2/1/2015	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Deferred	Continuous Interstitial Monitor	
12,000			TLS-350/Gilbarco EMC , Veeder Root	Not Listed	Yes

Facility Summary in DANIELS County in the City of FLAXVILLE

Location: PRO CO-OP 3
MT HIGHWAY 5 & MAIN ST
FLAXVILLE, MT 59222 DANIELS

Sys Fac ID: 10-01331

Last Inspected On: 8/19/2015

Operating Permit Renewal Date: 9/28/2018

Contact: Tanner Trower, (406) 487-2741

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
7	03	2/1/2013	Bare Steel	Fiberglass Reinforced Plastic	High Level Alarm
5409	Yes	2/1/2015	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Gasoline			Deferred	Continuous Interstitial Monitor	
12,000			TLS-350/Gilbarco EMC , Veeder Root	Not Listed	Yes
8	03	2/1/2013	Bare Steel	Fiberglass Reinforced Plastic	
5453	Yes	2/1/2015	None	Double-Walled	No
Currently in Use			Continuous Interstitial Monitoring	Pressurized	
Diesel			Deferred	Continuous Interstitial Monitor	
12,000			TLS-350/Gilbarco EMC , Veeder Root	Not Listed	Yes

Facility Summary in DANIELS County in the City of SCOBEE

Location: CROMWELLS CONVENIENCE & PETROLEUM
3 MAIN ST
SCOBEE, MT 59263 DANIELS

Sys Fac ID: 10-01223

Last Inspected On: 6/7/2013

Operating Permit Renewal Date: 6/15/2016

Contact: Cary Cromwell, (406) 487-2441

Owners/Operators: Cromwells Convenience & Petroleum, Owner (406)-487-2441 PO BOX 990
SCOBEE MT 59263-0990
Shane Cromwell, UST Class A Operator
Shane Cromwell, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	19	5/1/1996	Aboveground Tank	Flexible Plastic	
2176	Yes	6/7/2013	None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Deferred	Continuous Interstitial Monitor	
5,800					
5	19	5/1/1996	Aboveground Tank	Flexible Plastic	
2177	Yes	6/7/2013	None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Deferred	Continuous Interstitial Monitor	
12,000					
6	19	5/1/1996	Aboveground Tank	Flexible Plastic	
2178	Yes	6/7/2013	None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Deferred	Continuous Interstitial Monitor	
12,000					
7	19	5/1/1996	Aboveground Tank	Flexible Plastic	
2179	Yes	6/7/2013	None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Deferred	Continuous Interstitial Monitor	
10,000					

Facility Summary in DANIELS County in the City of SCOBEEY

Location: PRO CO-OP 2
108 1ST ST
SCOBEEY, MT 59263 DANIELS

Sys Fac ID: 10-03710

Last Inspected On: 10/5/2015

Operating Permit Renewal Date: 2/23/2019

Contact: Tanner Trower, (406) 487-2741

Owners/Operators: Pro Co-op, Owner (406)-487-2741 PO BOX 847
SCOBEEY MT 59263
Tanner Trower, UST Class A Operator
Kent Cromwell, UST Class B Operator
Tanner Trower, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	21	10/1/1994	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
1227		8/18/2015	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Galvanic
Gasoline		8/18/2015	Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
12,000			Gilbarco EMC Basic , Gilbarco		
5	21	10/1/1994	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
1228		8/18/2015	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Galvanic
Gasoline		8/18/2015	Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
12,000			Gilbarco EMC Basic , Gilbarco		
6	21	10/1/1994	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
1229		8/18/2015	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Galvanic
Diesel		8/18/2015	Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
12,000			Gilbarco EMC Basic , Gilbarco		
7	21	10/1/1994	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
1230		8/18/2015	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Galvanic
Diesel		8/18/2015	Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
12,000			Gilbarco EMC Basic , Gilbarco		

Facility Summary in DANIELS County in the City of SCOBEEY

Location: PRO CO-OP 2
108 1ST ST
SCOBEEY, MT 59263 DANIELS
Contact: Tanner Trower, (406) 487-2741

Sys Fac ID: 10-03710
Last Inspected On: 10/5/2015
Operating Permit Renewal Date: 2/23/2019

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
8	21	10/1/1994	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
1231		8/18/2015	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Galvanic
Diesel		8/18/2015	Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
8,000			Gilbarco EMC Basic , Gilbarco		
9	21	10/1/1994	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
1232		8/18/2015	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Galvanic
Diesel		8/18/2015	Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
4,000			Gilbarco EMC Basic , Gilbarco		

Facility Summary in DANIELS County in the City of SCOBEE

Location: PRO CO-OP 1
3 DANIELS ST
SCOBEE, MT 59263 DANIELS

Sys Fac ID: 10-04159

Last Inspected On: 10/5/2015

Operating Permit Renewal Date: 2/23/2019

Contact: Tanner Trower, (406) 487-2741

Owners/Operators: Pro Co-op, Owner (406)-487-2741 PO BOX 847
SCOBEE MT 59263
Tanner Trower, UST Class A Operator
Kent Cromwell, UST Class B Operator
Tanner Trower, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
10	07	10/10/2008	Unknown	Fiberglass Reinforced Plastic	
5133	Yes	8/18/2015	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Gasohol/Ethanol			Deferred	Continuous Interstitial Monitor	
3,000					Yes
11	07	10/10/2008	Unknown	Fiberglass Reinforced Plastic	
5134	Yes	8/18/2015	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Deferred	Continuous Interstitial Monitor	
3,000					Yes

Facility Summary in DANIELS County in the City of SCOBEEY

Location: NEMONT COMMUNICATIONS INC
MT HIGHWAY 13 S
SCOBEEY, MT 59263 DANIELS
Contact: Thomas M Halverson, (800) 636-6680

Sys Fac ID: 10-13610
Last Inspected On: 8/28/2015
Operating Permit Renewal Date: 2/23/2019

Owners/Operators: Nemont Communications Inc, Owner (406)-783-5654 PO BOX 600
SCOBEEY MT 59263-0600

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	20	4/1/1995	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	
3293			None	None	Yes
Currently in Use		4/1/2005	Not Required	Gravity Feed	Not Applicable
Waste Oil			Deferred	Deferred	
100					